


B1Vertical Infrared Touch Full-Screen


Model Number	LQMCM-65	LQMCM-75	LQMCM-86	LQMCM-98
Main Image				
Size	65"	75"	86"	98"
Style	24B	24B	24B	24B
Display Parameters				
Screen Type	LCD A-Grade			
Backlight Type	D-LED			
Display Area	1428.5(H)×803.5(V)mm	1649.7(W)×928(H)mm	1895(W)×1066(H)mm	2158.8(W)×1215(H)mm
Resolution	3840×2160	3840×2160		
Brightness	400cd/m ²			
Response Time	7ms			
Contrast	1200:1			
Color Gamut	73% NTSC (CIE1931)	89% NTSC (CIE1931)	72% NTSC (CIE1931)	72% NTSC (CIE1931)
Viewing Angle	89/89/89/89 (Min.)(CR≥10)			
Service Life	>50000H			
Rear Interface				
Headphone Output Jack	*1			
AV Signal Input	*1			
PC Audio	*1			
VGA	*1			
HDMI	*1			
TV USB 2.0	*1			
External Touch Frame Interface	*1			
OS Options (Choose One Only)				
OPS-Android System				
CPU	3568S Cortex-A55x4			
GPU	G52			
RAM+ROM	2G+64G			
Version	Android 11.0			
OPS-Android Interface				
DC	*1			
USB2.0	*1			
USB3.0	*1			
RJ45 Network Port (1000M)	*1			
Audio Output	*1			
WIFI	WIFI6			
BT	BT4.2			
SIM	*1			
OPS-WIN System				
Chip	Intel			
CPU	HM86-4th generation i3/i5/i7 (Optional)			
RAM+ROM	8G DDR3+128G			
OPS-WIN Interface				

POWER	*1			
MIC	*1			
AUDIO	*1			
LAN	*1			
VGA	*1			
HDMI	*1			
USB3.0	*2			
USB2.0	*4			
RECOVERY	*1			
WIFI	*2			
Touch Parameters				
Touch Specifications	Infrared Touch Frame			
Number of Touch Points	20 Points			
Response Time	≤15ms			
Point Accuracy	Over 90% of the touch area is ±2mm			
Electrical Parameters				
Power Supply	AC100-240V~(+/-10%),50/60Hz			
Power Cord Plug Standard	CN Standard220V			
Max Power Consumption	160W	270W	300W	400W
Overall Parameters				
Net Weight/kg	32.5kg	44.5kg	60.5kg	84kg
Gross Weight/kg	47.5kg	62.5kg	80kg	107kg
Product Dimensions (L*W*T)	1484.2(H)×862.9(W)×84.5(D)m m	1706.47(H)×988(W)×84.5(D)m m	1952.6(H)×1127.7(W)×92.7(D) mm	2216(H)×1281(W)×93.7(D)mm
Packaging Size (L*W*T)				
Shell Material (Front Frame/Back Shell)	Aluminum Alloy/Sheet Metal			
Shell Color (Front Frame/Back Shell)	Black			
Wall Mounting Hole Spacing	500*400mm	600*400mm	800*400mm	900*600mm
Speaker	8Ω15W*A Pair			
Accessories				
Product Manual	*1			
Power Cord	*1			
Warranty Card & Certificate Of Conformity	*1			
Smart Pen	*2			
WIFI Adapter	*1			
Mobile Stand	*1			
Environmental Factors				
Operating Temperature	0℃~40℃			
Operating Humidity	10%~90%RH			
Storage Temperature	-20℃~60℃			
Storage Humidity	10%~90%RH			
Operating Altitude	Below 5000m			
Dimension Drawing				


65"



75"



86"



98"

