

D1 Conference Tablet

Model Number	HYCM-55	HYCM-65	HYCM-75	HYCM-85	HYCM-98	HYCM-110
Main Image						
Size	55"	65"	75 "	85"	98"	110"
Style	25D	25D	25D	25D	24C	WG
Display Parameters						
Screen Type	LCD A-Grade					
Backlight Type	D-LED					
Display Area	1210.6(H)×685(V)mm	1428.5(H)×803.5(V)mm	1649.7(W)×928(H)mm	1872(W)×1053(H)mm	2158.8(W)×1215(H)mm	2436.48(W)×1370.52(H)mm
Resolution	3840×2160 (UHD)					
Brightness	400cd/m²					
Response Time	7ms					
Contrast	1200: 1					
Color Gamut	72% NTSC (CIE1931)	73% NTSC (CIE1931)	89% NTSC (CIE1931)	72% NTSC (CIE1931)	72% NTSC (CIE1931)	68% NTSC (CIE1931)
Viewing Angle	89/89/89/89 (Min.)(CR≥10)					
Service Life	>50000H					
System						
Chip	P985					V100
CPU	Octa-core Cortex-A55					A55-8 core ARM Cortex-A55 (8-core)
GPU	Mali-G52 MP2(2EE)					Mali-G52 MP2(2EE) 600MHz
RAM+ROM	8G+128G					4G+32G
System version	Android 14.0					Android 14.0
Interface						
Ethernet input	*1					*1
Coaxial output	*1					/
Headphone output	*1					*1

AV input	*1	/
RS232 serial port	*1	*1
HDMI2.0 input	*2	*2
Touchframe output	*1	*1
USB2.0	*2	*1
WIFI	WIFI6	WIFI5
Bluetooth	BT5.2	BT5.0
USB3.0	/	*1
HDMI out	/	*1
TF card	/	*1
SPDIF out	/	*1
Front Interface		
Power Switch	*1	*1
Indicator Light	*1	/
TYPE-C	*1	*1
HDMI IN	*1	*1
Touch Output	*1	*1
USB2.0	*2	/
USB3.0	/	*1
System		
Chip	Intel	
CPU	HM86-4 i3/i5/i7 (Optional)	
RAM+ROM	8G DDR3+128G	
Interface		
POWER	*1	
AUDIO	*1	
MIC	*1	
HDMI	*1	
VGA	*1	
LAN	*1	




USB3.0	*2					
USB2.0	*4					
RECOVE	*1					
WiFi Adapter	*2					
Touch Parameters						
Touch Specifications	Infrared Touch Frame					
Number of Touch Points	Android-20 Points; PC-50 Points					
Response Time	≤15ms					
Point Accuracy	Over 90% of the touch area is ±1mm					
Electrical Parameters						
Power Supply	100-240V~60/50Hz 3.0A					
Max Power Consumption	116.2W	194.3W	195W	230W	400W	810W
Standby Power Consumption	≤0.5W					
Overall Parameters						
Net Weight/kg	23.5	34	46	62	86	120
Gross Weight/kg	34.5	49	64	82	110.3	152
Product Dimensions (L*W*T)	1259.6(L)×680.4(W)×120.9(T)mm (Wall mount included)	1484.2(H)×887.2(W)×124.1(D)mm(Wall mount included)	1706.4(L)×1012.3(W)×137.9(T)mm(Wall mount included)	1952.6(L)×1152(W)×137.9(T)mm (Wall mount included)	2216*1314.6*93.7mm	2503.4(L)×1470.3(W)×100(T)mm
Packaging Size (L*W*T)	1375(L)×920(W)×210(T)mm	1600(L)×1035(W)×200(T)mm	1835(L)×1145(W)×220(T)mm	2075(L)×1375(W)×220(T)mm	2365(L)×1500(W)×230(T)mm	2700×270×1700mm (L*W*H) Honeycomb Cardboard Box + Pearl Cotton
Shell Material (Front Frame/Back Shell)	Aluminum Alloy/Sheet Metal					
Shell Color (Front Frame/Back Shell)		Black And Gray				
Wall Mounting Hole Spacing	300*250mm	450×400mm	700 ×400mm	800 ×600mm	900*600mm	(800+800)*700mm
Wall Mount Screws		M8 ×25mm	M8 ×25mm	M8 ×25mm	M8 ×25mm	M8 ×10mm
Speaker	8Ω15W*A Pair					8Ω10W*A Pair
Accessories						
Product Manual	*1					
Power Cord	*1					
Smart Pen	*1	*2				
WiFi Adapter	*1					
Wall Mount Bracket + Wall Mount Screws	*1 (Optional Move Stand)					
Environmental Factors						
Operating Temperature	0℃~40℃					
Operating Humidity	10%~90%RH					
Storage Temperature	-20℃~60℃					
Storage Humidity	10%~90%RH					

Operating Altitude




Below 5000m

Dimension Drawing


55"




65"





75"



85"



98"



其 余: ∇